


List of equipment at Husö biological station



Contents

1 Field equipment	1
1.1 Drop-video system	1
1.2 Pro Squid 3 Drop-video system	1
1.3 MX Aquatic Habitat Echo sounder	2
1.4 DT-X Extreme Autonomous Portable Scientific Echosounder	2
1.5 Limnos sediment corer	3
1.6 RBRsolo PAR	3
1.7 Minn Kota Riptide 55lb	3
1.8 EXO3 Multiparameter Sonde	4
1.9 DJI Phantom 4 RTK	4
1.10 DeepCat by DeepVision	4
1.11 DTG3 ROV by Deep Trekker	5
1.12 P-Log3021 Water Level and Wave Logger	5
1.13 P-Log3020-baro High-Precision Barometric Logger	6
1.14 YSI Professional plus - Multiparameter instrument	6
1.15 YSI ProODO - Optical Dissolved Oxygen Instrument	6
1.16 YSI ProSolo + ODO/CT	7
1.17 ONSET HOBO Pendant data logger	7
1.18 LICOR LI-1400	7
1.19 Kautsky sampler	8
1.20 Other field equipment	8
2 Aquarium / Mesocosm equipment	8
2.1 The Aquarium Container	8
2.2 Climate room	9
2.3 Aquarium Hall	9
2.4 Outdoor aquariums/mesocosms	10
2.5 Water filtration system for aquariums	10
2.6 SQ-520: Full spectrum Smart Quantum Sensor (USB)	11
2.7 Milwaukee MW806 4-in-1 pH/EC/TDS/Temp. Combo Meter with ATC	11
2.8 Apex Fusion	11
2.9 Radion XR30w G3 and G4 by Ecotech (24 in total)	12
2.10 Abyzz 200	12
2.11 Aqua Medic Titan 500	12
2.12 Aqua Medic Titan 2200	13
2.13 Aqua Medic T controller twin	13
2.14 Heating units	13
2.15 All available aquariums / mesocosms	14
3 Boats	14
3.1 Tinca (Faster 560 (2011), 90hp)	14
3.2 Mya (Rönnqvist 590 (2009), 60hp)	14
3.3 Esox (Buster RS (1996), 40hp)	15
3.4 Sigrid Maria (Rönnqvist RR 16 (2005), 25hp)	15
3.5 Sprattus sprattus (Buster XS (2010), 15hp)	15
3.6 Perca (Terhi 385 (2015), 4hp)	16
3.7 Zodiac cadet alu 270 (2019)	16
3.8 Other boats	16
4 Laboratory equipment & Microscopes	16
4.1 Thermo Scientific Forma 991	16
4.2 Nikon SMZ1500	17
4.3 Novex RBZ	17
4.4 Nikon SMZ660	17
4.5 Nikon Diaphot	17
4.6 Nikon DS-L2 camera control unit & DS-2Mv camera	18
4.7 Olympus OM-D EM-1	18

4.8 Amscope MU1403B camera	18
4.9 Hettich Mikro Rapid - Centrifuge.....	19
4.10 Eppendorf 5804R - centrifuge	19
4.11 Hach 2100P Turbidimeter.....	19
4.12 TD-700 Laboratory Fluorometer.....	19
4.13 ThermoSpectronic Aquamate Spectrophotometer.....	20
4.14 VWR P4 UV/Visible Spectrophotometer	20
4.15 Analytical sieve shaker AS 400 control.....	20
4.16 Seal Analytical AQ300 Discrete Analyzer.....	21
4.17 Laboratory incubator.....	21
4.18 Drying oven DL 112 Prime	21
4.19 MultiVac 310-MS-T Multi-Branch Filtration System.....	22
4.20 Filtration manifold.....	22
4.21 Other laboratory equipment	22
5 Molecular lab equipment	23
5.1 Porkka KF 45 flake ice machine	23
5.2 PHCbi MLR-352-PE Climate Chamber.....	23
5.3 Selecta MED 20 autoclave	23
5.4 VX-200 Vortex Mixer	24
5.5 Labnet microcentrifuge C1601	24
5.6 Eppendorf Centrifuge 5425 R.....	24
5.7 PCRmax Alpha Cyclor 1	24
5.8 Thermo Scientific MSC-Advantage 1.2 Laminar hood.....	25
5.9 DS-11 FX Spectrophotometer / Flourometer	25
5.10 Tecan Spark – Multimode microplate reader.....	25
6 Diving equipment.....	26
6.1 Bauer PE-TE 300.....	26
6.2 Lenhardt & Wagner 100 E1 ECO.....	26
6.3 Other diving equipment	26

For more information about the equipment, please contact:

Tony Cederberg (Manager): tony.cederberg@abo.fi

Giannina Hattich (Technician): giannina.hattich@abo.fi

Martin Snickars (Head of station): martin.snickars@abo.fi


1 Field equipment

1.1 Drop-video system

Year of purchase: 2014 & 2017

Features, possible uses, etc.:

- Two systems available
- “Home built”-system, with parts found online
- Gopro Hero4 camera (up to 4k resolution)
- 30m cable, with either two 900lm or one 3000lm underwater video light
- Rain proof monitor
- For mapping underwater vegetation and habitats



1.2 Pro Squid 3 Drop-video system

Year of purchase: 2023

As this one but with a Gopro Hero 11 camera:

<https://www.spotx.com.au/underwater-video-systems-and-rovs/pro-squid-3-ip>



Features, possible uses, etc.:

- Compatible with Hero 9/10/11 (Hero11 available)
- Low latency live feed to the surface
- Compatible with HELM app for GPS/date/time/site name overlay (note, overlay of the topside feed only, not the footage recorded on the GoPro)
- Aluminium housing, 300m depth rating
- Powered from 12V surface supply.
- 50m cable
- Lights from existing drop-video systems can be attached if needed
- Needs a field computer for operation
- For mapping underwater vegetation and habitats



1.3 MX Aquatic Habitat Echo sounder

Year of purchase: 2015




<https://www.biosonicsinc.com/products/mx-aquatic-habitat-echosounder/>

https://www.youtube.com/watch?v=T-Hvr_kYr4k

Features, possible uses, etc.:

- Map submerged aquatic vegetation (SAV): area, coverage, height of vegetation
- Map macrophytes and other habitat areas
- Monitor invasive aquatic weeds
- Delineate areas of sand, mud, rock
- Generate contour profiles
- Shallow water mapping
- Works best with bow mounted electric motor (Minn Kota Riptide 55lb)



1.4 DT-X Extreme Autonomous Portable Scientific Echosounder

Year of purchase: 2020



<https://www.biosonicsinc.com/products/dt-x-extreme/>

<https://www.youtube.com/watch?v=cwkUJTzP4zs>

Features, possible uses, etc.:

- Equipped with **one** split beam, 200 kHz-transducer.
- Can be equipped with both Single and split beam transducers: 38, 70, 120, 200, 420, & 1000 kHz
- Fish Stock Assessment
- Population Estimates
- Size Distribution
- Total Biomass Estimates
- Vertical and Horizontal Distribution
- Behavioral Studies
- Predator / Prey Relationships




1.5 Limnos sediment corer

Year of purchase: 2016

Features, possible uses, etc.:

- Two available
- Makes it possible to extract sediment in 1cm slices



1.6 RBRsolo PAR

Year of purchase: 2017



Older version of this: <https://rbr-global.com/products/compact-loggers/rbrsolo-par-rad/>

Features, possible uses, etc.:

- Five available
- The ones at Husö equipped with:
 - o Licor PAR 192SA sensor
 - o Anti-fouling wiper set
- Possibility to upgrade these for either turbidity or dissolved oxygen measurements



1.7 Minn Kota Riptide 55lb

Year of purchase: 2016




<https://www.minnkotamotors.com/support/manuals/trolling-motors/riptide-terrova>

<https://minnkota.com.au/wp-content/uploads/2014/07/i-pilot-manual-rev.pdf>

Features, possible uses, etc.:

- Can easily be mounted in the bow of **Esox**
- Controlled via remote control
- Built in GPS allows for:
 - o Lock of heading
 - o Recording of tracks that can be revisited
 - o "Sky anchor"
- Allows for slow and precise movement
- Equipped with upgraded, three blade propeller
- Has its own battery that last for about 1,5 hours at maximum throttle.
- Very handy when using the **MX Aquatic Habitat Echo sounder**



1.8 EXO3 Multiparameter Sonde

Year of purchase: 2019

<https://www.ysi.com/EXO3>

Features, possible uses, etc.:

- Two available
- Multiparameter Water Quality Sonde with 5 sensor ports
- Cond/Temp., pH, Turbidity, DO & Sensor wiper (on those at Husö)
- One of the sondes is equipped with 0-100m depth sensor.
The other one is without depth sensor
- Also available at Husö: handheld display and 33m field cable
- Works also as a stand-alone unit that can be programmed prior to deployment
- Many different sensors available



1.9 DJI Phantom 4 RTK

Year of purchase: 2020

<https://www.dji.com/fi/phantom-4-rtk>

Features, possible uses, etc.:

- Map underwater vegetation from air in shallow areas (ca. 0-3m)
- Map drifting algae on shallow beaches
- Geo-referenced pictures with centimeter accuracy
- Map seasonality in vegetation coverage in shallow water
- Map the spread of vegetation on land
- Generate 3D-models of above surface environment
- Possibility to program flight paths in advance as well as having the drone fly the same paths multiple times for e.g. studying seasonal changes



1.10 DeepCat by DeepVision

Year of purchase: 2019

<https://deepvision.se/products/autonomous-survey-systems/>

<http://deepvision.se/wp-content/uploads/2018/10/DeepCat.pdf>

<https://www.youtube.com/watch?v=5bomtSvveg8>

Features, possible uses, etc.:

- Generate contour profiles autonomously
- Generate 3D-models of the environment under the surface based on the contour profiles
- Calculate volumes of water at different depths
- Equipped with side scan sonar technology



1.11 DTG3 ROV by Deep Trekker

Year of purchase: 2020



<https://www.deeptrekker.com/products/underwater-rov/dtg3>

Features, possible uses, etc.:

- 200m depth rating, up to 8h battery life
- Highly customizable, check:
<https://www.deeptrekker.com/shop/categories/rov-add-ons-all>
- Husö ROV has:
 - 75m tether
 - SENSOR PACKAGE | DEPTH, HEADING, TEMP & MORE
 - BLUEPRINT SUBSEA SEATRAC USBL POSITIONING SYSTEM
 - CONTROLLER GPS | BRIDGE SYSTEM
 - AUXILIARY LIGHTING - DTG3
 - TOOLLESS BALLAST KIT - DTG3
- Map waters deeper than possible with divers (i.e. mussel beds, red algae, etc.)
- Thanks to the GPS: possibility to plot routes and drop points of interest along the way.



1.12 P-Log3021 Water Level and Wave Logger

Year of purchase: 2020



<https://www.driesen-kern.com/products/water-analysis/water-level/water-level-and-wave-logger-plog3021.php>

Features, possible uses, etc.:

- Four available at Husö
- Water level and wave measurements
- High resolution of 1.5 mm and accuracy of 20 mm at 40 m water column
- Capacity for up to 500 million readings
- Battery life 1/2 year at 5 Hz sampling rate
- Logging interval 32 Hz to 24 hours



1.13 P-Log3020-baro High-Precision Barometric Logger

Year of purchase: 2020

<https://www.driesen-kern.com/products/water-analysis/water-level/waterproof-barometric-pressure-logger-p-log3020.php>



Features, possible uses, etc.:

- One available at Husö
- Barometer and thermometer in a single device
- IP68 protected (fully submersible!)
- Measurement range -30..+80°C
- Memory for up to 4 million readings
- Battery life up to 4 years (interval Of 10 minutes)
- Can be used together with P-Log3021 water level and wave logger to compensate for barometric pressure



1.14 YSI Professional plus - Multiparameter instrument

Year of purchase: 2012

<https://www.ysi.com/proplus>

Features, possible uses, etc.:

- One available at Husö
- 30m cable
- Temperature, salinity and pH



1.15 YSI ProODO - Optical Dissolved Oxygen Instrument

Year of purchase: 2010

<https://www.ysi.com/proODO>

Features, possible uses, etc.:

- One available at Husö
- 50m cable
- Dissolved oxygen and temperature



1.16 YSI ProSolo + ODO/CT

Year of purchase: 2022

<https://www.ysi.com/prosolo-odoct>

Features, possible uses, etc.:

- One available at Husö
- 4m and 30m cables available
- Dissolved oxygen, temperature and conductivity/salinity



1.17 ONSET HOBO Pendant data logger

Year of purchase: 2015 & 2022

<https://www.onsetcomp.com/products/data-loggers/ua-002-08>

Features, possible uses, etc.:

- 5-10 available at Husö
- Measures temperature and light intensity (lux)
- 30m depth rating
- One year battery life during typical use
- Stores approx. 3.5K combined temp. and light readings or events



1.18 LICOR LI-1400

Year of purchase: 1999

<https://www.licor.com/documents/2ipkf5a195b1djdcojoe>

Features, possible uses, etc.:

- 30m cable
- LI-193 Spherical underwater sensor:
<https://tinyurl.com/y2l4zofk>
- LI-190SA Quantum sensor as reference sensor to the underwater sensor:
<https://www.licor.com/env/pdf/light/190.pdf>
- For spot measurements of PAR-radiation in the field



1.19 Kautsky sampler

Features, possible uses, etc.:

- Two available at Husö
- In two sizes:
 - 18x18x8cm
 - 20x20x8cm
- Used when sampling flora and fauna off hard substrates under water



1.20 Other field equipment

- Limnos water samplers (5 in total)
- Ekman sediment samplers (7 in total)
- Sieves in different mesh sizes (including 0,5mm and 1mm as well as some sieve series, e.g: 32µm-4mm)
- Both "Nordic" and "Nordic coastal" multi mesh gillnets
- Beach seines (2 available)
- Plankton nets (25, 50 and 65 µm)
- Handheld depth meters (4 in total)
- Handheld GPS (3 in total)
- Ice augers: 130mm (foldable) & 200mm (electric)

2 Aquarium / Mesocosm equipment

NB! To conduct experiments with vertebrates (fish) a permit is needed according to Government Decree on the Protection of Animals Used for Scientific or Educational Purposes 564/2013.

2.1 The Aquarium Container

Year of purchase: 2017



Features, possible uses, etc.:

- Size c 15 m²
- 36 flow-through, water circulating aquariums, in three racks
- Temperature can be regulated in the container
- Light can be programmed (18pcs. **Radion XR30w**)
- Water circulated / cleaned by: mesh screen, UV-light and protein skimmer
- Internet connection (ethernet and WiFi)
- Equipped with additional air condition unit (2020)



2.2 Climate room

Features, possible uses, etc.:

- Size: c 20 m²
- Updated during 2018-2019
- **Three** racks with **two** flow-through, water circulating aquariums in each rack
- Internet connection available (ethernet and WiFi)
- 3pcs. **Apex Fusion** aquarium control centers, one for each rack
- Light can be programmed (6pcs. **Radion XR30w**)
- Programmable water pump in the sump of each rack (**Abyzz 200**)
- Water can be cooled with **Aqua Medic Titan 500** as well as cooling unit that cools the whole room
- **For heating of specific aquariums:** smaller heating units can be used. Husö has five 300W 18-34°C units available
- Connected to a central air line for aeration of aquariums
- Some work bench space as well as floor space available for custom experiment setups



2.3 Aquarium Hall

Features, possible uses, etc.:

- Size: c 70 m²
- Updated in 2019 with internet (ethernet and WiFi)
- The space can be adapted for a wide range of setups
- A list of available sizes on aquariums and mesocosms can be found below
- Connected to a central air line for aeration of aquariums



2.4 Outdoor aquariums/mesocosms

Features, possible uses, etc.:

- Size: 6 x 8 m, 48 m²
- 20 pcs. 600l mesocosms available. For sizes, see list below.
- The space is easy to adapt, with plenty of seawater taps to choose from.
- Can either be run as a flow-through system or as a gravity fed system.
- Electricity outlets available, no ethernet. WiFi-signal is weak. An extension of the WiFi is however planned for 2025
- Sizes of the mesocosms installed (LxWxH):
 - o 1120x920x600 mm (600l) – 20 in total available
- Sizes of previously installed mesocosms (LxWxH):
 - o 2 pcs: 2000x2000x400 mm
 - o 2 pcs: 1900x1900x400 mm



2.5 Water filtration system for aquariums

Year of purchase: 2012

Features, possible uses, etc.:

- Two independent systems:
 - o System 1: for the aquariums in the aquarium hall, climate room and climate container
 - o System 2: for the outdoor aquariums and for flushing the sand filters
- Water filtration through sand filters to remove algae and other impurities (about 50% reduction in chlorophyll a on average)
- The filtration can be bypassed if needed



2.6 SQ-520: Full spectrum Smart Quantum Sensor (USB)

Year of purchase: 2017

<https://www.apogeeinstruments.com/sq-520-full-spectrum-smart-quantum-sensor-usb/>

Features, possible uses, etc.:

- Real-time spot measurements of PAR (Photosynthetically Active Radiation) with computer
- Can also be connected to most stand-alone 5V DC power supply and store up to 10 000 measurements in internal memory, without the need of a computer
- Handy when setting light levels in aquariums



2.7 Milwaukee MW806 4-in-1 pH/EC/TDS/Temp. Combo Meter with ATC

Year of purchase: 2022

<https://milwaukeeinstruments.eu/milwaukee-mw806-pro-4-in-1-ph-ec-tds-temp-combo-meter-with-atc>

Features, possible uses, etc.:

- One available at Husö
- Handy when checking pH, salinity, TDS and temperature in mesocosms and aquariums



2.8 Apex Fusion

Year of purchase: 2019

<https://www.neptunesystems.com/apex-fusion/>

Features, possible uses, etc.:

- Three systems available at Husö
- A control center for aquarium systems, possible to monitor and control via internet
- Probes for temperature, salinity, pH and ORP
- Customizable system with many options



2.9 Radion XR30w G3 and G4 by Ecotech (24 in total)

Year of purchase: 2016, 2019

https://ecotechmarine.com/radion_legacy

Features, possible uses, etc.:

- 24 lights available in total at Husö
- Programmable aquarium lights, possible to mimic a wide range of different scenarios and wave lengths
- Possible to connect to **Apex Fusion**, works well also as stand alone units
- Both standard and pro versions available at Husö



2.10 Abyzz 200

Year of purchase: 2019

<https://abyzz.de/en/shop/pumps/abyzz-a200-2/>

Features, possible uses, etc.:

- Three available at Husö
- Programmable aquarium pump
- Installed in the sump of the racks in the climate room



2.11 Aqua Medic Titan 500

Year of purchase: 2019

<https://aquamedicdirect.co.uk/product/temperature-lighting/temperature-lighting-cooling/titan-500/>

Features, possible uses, etc.:

- Three available at Husö
- Aquarium cooler, that is possible to connect to **Apex Fusion**



2.12 Aqua Medic Titan 2200

Year of purchase: 2022



<https://www.aqua-medice.de/index.php?r=catalog/product&id=496&cid=34>

Features, possible uses, etc.:

- 11 pcs. in total available at Husö
- Aquarium cooler, which is possible to connect to **Apex Fusion** or **dedicated controller** (see below)



2.13 Aqua Medic T controller twin

Year of purchase: 2022



<https://aquamedicdirect.co.uk/product/water-quality/water-quality-monitoring-control/t-controller-twin/>

Features, possible uses, etc.:

- 21 pcs. in total available at Husö
- Controls both heating and cooling units simultaneously
- Control range: 16 – 40 °C



AQUA/MEDIC

2.14 Heating units

Year of purchase: 2022



<https://www.aquaristikshop.com/aquaristic/Schego-Pond-Heater/328120/>

Features, possible uses, etc.:

- 20 pcs. available
- 600W model
- 10m cable



2.15 All available aquariums / mesocosms

Sizes given as: Length x Width x Height in millimeters

- 44 pcs.: 300x220x220 mm
- 36 pcs.: 350x300x300 mm (in the climate container racks)
- 7 pcs.: 700x300x300 mm
- 6 pcs.: 930x450x500 mm (in the climate room racks)
- 5 pcs.: 600x400x300 mm
- 5 pcs.: 480x380x350 mm
- 5 pcs.: 1000x1000x600 mm
- 3 pcs.: 500x300x300 mm
- 3 pcs.: 400x350x350 mm
- 2 pcs.: 450x300x180 mm
- 2 pcs.: 2000x2000x400 mm (Outdoor mesocosm)
- 2 pcs.: 1900x1900x400 mm (Outdoor mesocosm)
- 20 pcs.: 1120x920x600 mm (Outdoor mesocosm)
- 2 pcs.: Y-aquarium, details in picture right
- 1 pcs.: 500x400x350 cm




Figure 1. Y-aquaria (Westberg 1997)

3 Boats

3.1 Tinca (Faster 560 (2011), 90hp)

- Length/Width: 5,6m/2,2m
- Seats up to 7 people
- Has its own trailer
- Equipped with plotter/echo sounder
- Dive ladder in the aft
- Plenty of space for equipment
- Sturdy in rough sea
- High sides = Hard wind might make manoeuvring in low speeds harder



3.2 Mya (Rönnqvist 590 (2009), 60hp,)

- Length/Width: 5,9m/2,2m
- Seats up to 9 persons
- Has no own trailer, trailer for "Tinca" can be used if needed
- Equipped with plotter/echo sounder
- Dive ladder in the aft
- Plenty of space for equipment, middle bench can be removed to free up more floor space
- Handles rough sea pretty well
- Relatively low sides = wind does not affect the boat as much as Tinca at low speeds



3.3 Esox (Buster RS (1996), 40hp)

- Length/Width: 4,5m/1,72m, motor changed in 2017
- Seats up to 6 persons
- Has its own trailer
- Equipped with plotter/echo sounder
- Moderate space for equipment, middle bench can be removed to free up more floor space
- All-rounder when it comes to usage
- Can be equipped with a bow mounted electric motor (**Minn Kota Riptide 55lb**) when slow and precise course navigation is needed



3.4 Sigrid Maria (Rönnqvist RR 16 (2005), 25hp)

- Length/Width: 4,80m/1,77m
- Has its own trailer
- Seats up to 5 persons, very slow with that kind of load
- Equipped with plotter/echo sounder
- Moderate space for equipment, middle bench can be removed to free up more floor space
- All-rounder when it comes to usage. Good choice for survey fishing with gill nets and benthos sampling
- Low sides = good maneuverability in windy conditions when driving slowly



3.5 Sprattus sprattus (Buster XS (2010), 15hp)

- Length/Width: 4,15m/1,65m
- Seats up to 4 persons
- Has its own trailer
- No plotter/ echo sounder
- Relatively compact boat, middle bench can be removed to free up more floor space
- All-rounder when it comes to usage



3.6 Perca (Terhi 385 (2015), 4hp)

- Length/Width: 3,8m/1,5m
- Seats up to 4 persons
- Has its own trailer
- Compact rowboat, that can be equipped with a 4hp motor if needed



3.7 Zodiac cadet alu 270 (2019)

- Length/Width: 2,7m/1,53m
- Seats up to 3 persons
- Can be transported inflated on a regular trailer (not a boat trailer)
- Can be carried by two persons, weighs only 37kg
- Aluminium flooring
- 4hp motor can be mounted in the aft if needed
- Sturdy in the water



3.8 Other boats

- A couple of rowboats other than mentioned above are also available

4 Laboratory equipment & Microscopes

4.1 Thermo Scientific Forma 991

Year of purchase: 2019

<https://www.thermofisher.com/order/catalog/product/991#/991>

Features, possible uses, etc.:

- Operating temperature -80°C
- CO₂-backup system (keeps temperature at about -60°C for 12h)



4.2 Nikon SMZ1500

Year of purchase: 2003

Features, possible uses, etc.:

- One available at Husö
- Magnification: 0.75-11.25x



4.3 Novex RBZ

Year of purchase: 2013

Features, possible uses, etc.:

- Two available at Husö
- Magnification: 0.65-4.5x



4.4 Nikon SMZ660

Year of purchase: 2013

Features, possible uses, etc.:

- Three available at Husö
- Magnification: 0.8-5.0x



4.5 Nikon Diaphot

Year of purchase: 1986

<https://www.microscopyu.com/museum/diaphot-inverted-tissue-culture-microscope>

Features, possible uses, etc.:

- Can be equipped with the **Nikon DS camera system**
- Can be equipped with the **Olympus OM-D E-M1 camera**



4.6 Nikon DS-L2 camera control unit & DS-2Mv camera

<http://www.coherent.com.au/content/media/Nikon/Digital%20Sight.pdf>

<https://www.nikonusa.com/fileuploads/pdfs/Digital%20Sight%20Series%20062005.pdf>

Features, possible uses, etc.:

- Can be connected to **Nikon Diaphot**
- Photos can be used for measurements
- Live-view can be sent to external monitor or projector



4.7 Olympus OM-D EM-1

Year of purchase: 2016

<https://www.getolympus.com/us/en/e-m1.html>

Features, possible uses, etc.:

- Can be connected to **Nikon Diaphot**
- Battery grip with plug for external power = battery time is no issue
- Currently no lens for use without microscope
- No live-view. Photos and videos taken on camera can however, be showed on external source via HDMI



4.8 Amscope MU1403B camera

Year of purchase: 2016

<https://amscope.co.uk/products/14mp-usb3-0-real-time-live-video-microscope-digital-camera-10-mp>

Features, possible uses, etc.:

- Fits microscopes with 23mm, 30mm and 30.5mm eye pieces
- Can also be mounted on C-mount threads
- Calibration slide included
- Included software makes it possible to calculate lengths, areas, angles, etc.
- Measurement data can be exported as text file
- Needs to be connected to a computer/laptop



4.9 Hettich Mikro Rapid - Centrifuge

Year of purchase: 1989



4.10 Eppendorf 5804R - centrifuge

Year of purchase: 2022

<https://www.fishersci.fi/shop/products/centrifuge-5804-g-6/p-7159237>

<https://www.labnet.fi/fi/tuote/v106466/106466/benchtopcentrifuges58045804-r-general-lab-product/2484966>

Features, possible uses, etc.:

- 15 or 50 ml conical tubes
- Refrigerated, temperature setting range: -9 °C to 40 °C



4.11 Hach 2100P Turbidimeter

Year of purchase: 1998

<https://www.hach.com/2100p-portable-turbidimeter/product?id=7640450099>



4.12 TD-700 Laboratory Fluorometer

Year of purchase: 2001

<https://www.turnerdesigns.com/td-700-lab-ratory-fluorometer>



4.13 ThermoSpectronic Aquamate Spectrophotometer

Year of purchase: 2001

<https://www.masterflex.com/p/thermospectronic-aquamate-uv-and-uv-visible-water-analysis-spectrophotometers/20259>

Features, possible uses, etc.:

- Cuvette sizes 10-50mm



4.14 VWR P4 UV/Visible Spectrophotometer

Year of purchase: 2022

<https://fi.vwr.com/store/product/25247441/uv-visible-spectrophotometer-p4>

Features, possible uses, etc.:

- Cuvette sizes 10-50mm
- Holder for 4 cuvettes
- 190-1100 nm wavelength range



4.15 Analytical sieve shaker AS 400 control

Year of purchase: 2021

<https://fi.vwr.com/store/product/en/596328/ravistelijat-analyyttiset-seulakoneet-as-400-control?languageChanged=en>

Features, possible uses, etc.:

- Used for the sieving of dry goods
- Horizontal circular motion
- 100/150/200/203/305 and 400 mm diameter



4.16 Seal Analytical AQ300 Discrete Analyzer

Year of purchase: 2022

<https://www.seal-analytical.com/Products/Discrete-Analyzers/AQ300-Discrete-Analyzer>

Features, possible uses, etc.:

- For analysing nutrients in water and soil (benthic sediment)
- Available methods including: Ammonia, Nitrate/Nitrite, Nitrite, Total phosphorous, Silicate and more.
- A verified method for total nitrogen is currently (2024) not available by the manufacturer. However, a modified method has been taken into use at Husö. This method is comparable to the method used prior to this analyzer.



4.17 Laboratory incubator

Year of purchase: 2023

- 7 incubators available
- Precise – maintains constant temperature of up to 70 °C with an accuracy of ± 1.5 °C as well as a timer of 0 - 9,999 min with automatic switch-off
- Efficient – PID control with LCD display and air circulation
- Spacious – stainless steel interior with 65l capacity (40x35x45cm)
- Air-tight – heat-resistant door seal made of silicone rubber securely closes the interior
- Durable – robust casing made of cold-rolled, electrostatically coated steel
- Can be equipped with daylight simulating LED lights.



40 x 35 x 45 cm 2x 

4.18 Drying oven DL 112 Prime

Year of purchase: 2024

<https://ie.vwr.com/store/product/27643204/vwr-dry-line-prime-drying-ovens-with-natural-convection>

Features, possible uses, etc.:

- Temperature range: +50...300 °C
- Temperature fluctuation (time): $\pm 0,4$ @ 150 °C
- Temperature variation (spatial): $\pm 3,0$ °C @ 150 °C
- Capacity: 112 L
- Int. WxDxH: 460x450x540 mm
- Shelves (max.): 2 (7)



4.19 MultiVac 310-MS-T Multi-Branch Filtration System

Year of purchase: 2022

<https://www.rocker.com.tw/en/product/laboratory-filtration-system/multivac-vacuum-filtration-system/multivac-310-ms-t-multi-branch-filtration-system/>

Features, possible uses, etc.:

- Filtration for [suspended solid test](#)
- Filtration for [microbiological test](#)
- [General laboratory filtration](#)
- MultiVac 310-MS, 3-Places Aluminum Manifold
- MF 3, 300 ml Magnetic Filter Holder (3 pcs)
- 4000 ml PP Vacuum Bottle with drain



4.20 Filtration manifold

Features, possible uses, etc.:

- Rotating manifold with exchangeable top and filtrate collector
- Filtration chimneys made of stainless steel (20 mL)
- Independent control of 5 or 10 simultaneous filtrations
- 25 mm filter size



4.21 Other laboratory equipment

- pH-Meter: Metrhom 827 pH lab (2008)
- Conductivity meter: Methrohm 712 Conductometer (2006)
- Autoclave: CertoClav CV-EL 10LGS (2002)
- RiOs Type 5 Reverse Osmosis (RO) Water system (2021)
- Milli-Q EQ 7000 Ultrapure water system (2021)
- Miele PG8583 laboratory glassware washer (2021)
- One oven for burning organic samples (500°C)
- Three older drying ovens (60-100°C)
- NexYZ phone attachment for microscope eyepiece
- Precision scales, down to 0,1 mg readability

5 Molecular lab equipment

5.1 Porkka KF 45 flake ice machine

Year of purchase: 2021

<https://porkka.com/product/porkka-kf45-flake-ice-machine/>



5.2 PHCbi MLR-352-PE Climate Chamber

Year of purchase: 2021

<https://www.phchd.com/eu/biomedical/incubation/mlr-climatic-test-chambers/mlr-352>

Features, possible uses, etc.:

- Programmable temperature:
 - o 0°C to 50°C – Lamp off
 - o 5°C to 50°C – Lamp on medium setting
 - o 10°C to 50°C – Lamp fully on
- Programmable lighting:
 - o 0 to 20.000 lux
- For cultivation of phytoplankton, etc.



5.3 Selecta MED 20 autoclave

Year of purchase: 2021

<https://grupo-selecta.com/catalogo-2019/en/04-autoclaves.pdf>

Features, possible uses, etc.:

- Capacity: 20l
- Temperatures 121 and 134 °C



5.4 VX-200 Vortex Mixer

Year of purchase: 2021

Features, possible uses, etc.:

- Speed: 0-2850 rpm
- Start up by touch or continuously on
- Circular orbit for effective vortexing
- Optional head attachment for 24 x 1.5/2.0 mL tubes, 24 x 0.5 mL tubes and 32 x 0.2 mL tubes (or 4 PCR strips)
- For mixing of e.g. PCR- and 1.5-2.0ml Eppendorf tubes



5.5 Labnet microcentrifuge C1601

Year of purchase: 2021

<https://www.labnetinternational.com/products/laboratory-centrifuges/mini-centrifuges/labnet-mini-microcentrifuges-c1601>

Features, possible uses, etc.:

- Maximum speed: 6000 rpm / 2000 x g
- Capacity: 8 x 1.5/2.0 mL or 4 x 0.2 mL strips
- For quick and light centrifugation of Eppendorf-tubes



5.6 Eppendorf Centrifuge 5425 R

Year of purchase: 2021

https://www.eppendorf.com/product-media/doc/en/924568/Centrifugation_Operating-manual_Centrifuge-5425-R.pdf

Features, possible uses, etc.:

- Refrigerated, temperature control range: -10 °C to +40 °C
- Maximum speed: up to 21300 x g (depending on rotor used)
- Maximum capacity: 10 x 5,0 mL



5.7 PCRmax Alpha Cyclor 1

Year of purchase: 2021

<http://www.pcrmax.com/alpha-cyclor-1>

Features, possible uses, etc.:

- For amplification of DNA sequences



5.8 Thermo Scientific MSC-Advantage 1.2 Laminar hood

Year of purchase: 2021

<https://www.thermofisher.com/order/catalog/product/51025411#/51025411>

Features, possible uses, etc.:

- Exhaust air filter: HEPA H 14 EN 1822, 99.995% at 0.3µm particle
- 120 cm wide work area
- For applications requiring a clean space, such as DNA extraction and cultivation of microorganisms



5.9 DS-11 FX Spectrophotometer / Fluorometer

Year of purchase: 2020

<https://www.denovix.com/products/ds-11-fx-spectrophotometer-fluorometer/>

Features, possible uses, etc.:

- Quantification and quality control of DNA/RNA extracts
- Enables analysis by absorbance and/or fluorescence (fluorescence analysis

requires Fluorescence Quantification Assay Kits, for example:

<https://www.denovix.com/products/assays/>



5.10 Tecan Spark – Multimode microplate reader

Year of purchase: 2020

<https://www.triolab.fi/en/product-range/spark-monileimalukija/>

Features, possible uses, etc.:

- Absorbance measurement with dedicated high-speed monochromator optics
- NanoQuant Plate for effortless nucleic acid concentration and purity analysis from small sample volumes
- Measurement of upper and lower fluorescence
- Filter or monochromator optics, or fusion optics that combine both
- TRF, FRET, TR-FRET, FP
- Luminescence measurement, multicolour measurements and scanning
- Alpha Technology
- Automated cell counting and determination of their viability
- Cell imaging and automated confluence assay
- Real-time cell visualisation



6 Diving equipment

6.1 Bauer PE-TE 300

Year of purchase: 2019

<https://www.bauer-kompressoren.de/products/breathing-air-sports/pe-tepe-tb-200-300-lmin/>

Features, possible uses, etc.:

- Possible to fill both 200 and 300 bar tanks
- Equipped with add-on that keeps track of remaining filter capacity
- Filling a bottle from 50 to 300bar: about 10 minutes
- Decent filter capacity due to large filter (P41)
- Runs on 400V = “stationary” (140kg)



6.2 Lenhardt & Wagner 100 E1 ECO

Year of purchase: 2017

<https://www.lw-compressors.com/index.php/en/node/6>

Features, possible uses, etc.:

- Possible to fill both 200 and 300 bar tanks
- Filling a bottle from 50 to 300bar: about 30 minutes
- Runs on 230V, “portable” (42 kg) – can be transported by car/boat if needed
- Filter capacity relatively low, need to change filters relatively often, depending on usage



6.3 Other diving equipment

- 200 bar diving tanks: about 10 available (10l + 8l)
- 300 bar diving tanks: Two 12 Liter ones
- Diving wests: Four wests in Sizes S to L
- Diving regulators: Five in total
- Wetsuits: in sizes S to XL
- Dry suits: One available (L/XL)
- Three diving computers available (two Suunto Zoop, one Mares Puck Pro)
- Diving masks, fins, gloves, etc.

